



Underground Coal Solutions





INTEGRATED PLANNING TOOLS FOR UNDERGROUND COAL OPERATIONS

Strong technical solutions tailored to specialized industry needs

Deswik has developed a fresh and innovative range of unique tools that span the value chain from receipt of a geological model through to reporting for costing. Our software incorporates design and scheduling features across the core platform and associated modules, including:

- Comprehensive core functionality for underground coal operations at both long and short-term planning horizons:
 - 3D mining reserve solids with integrated Gantt scheduling
 - Complex grid manipulation
 - Polygon zone interrogation
 - Detailed process management via Deswik workflows.
- Deswik.AdvJGC, with advanced underground coal tools such as:
 - Underground design toolbox for gridded roadway panels and longwalls
 - Easy reconciliation tools for compliance auditing
 - Advanced scheduling functions including backwards pass resource leveling, objective targeting and resource path importing.
- Deswik.Agg to aggregate complex seam and ply grids or solids into working sections, including Longwall Top Coal Caving (LTCC) horizons.
- Deswik.Blend to optimize complex blending and material flow from pit to product.

Our integrated planning tools give our software the proven capability and reputation of taking a project from the design stage to a schedule faster than ever before.



A complete solution

Providing the best framework for underground coal mine planning

- Design, reserve and schedule short, medium and long term.
- Accurately model and schedule in 3D LTCC, variable cut horizons, stone drivage, and all interactions with surface mining and infrastructure.
- Undertake economic analysis including cash margin ranking.
- Create a master site schedule and use critical path analysis tools on both production and outbye projects with Deswik.Sched.

3D Design environment

- Powerful automated design tools for rapid centreline layouts.
- Best-in-class solids creation for true 3D representation of development and longwall reserves.

Geological data from any source

- Interrogate complex seam quality models, including multiple ply and seams, with ease.
- Work interchangeably with grid models, block models, implicit models and hybrids. Import grids and models from all major geological packages.

Integrated scheduling

- Remove or minimize planning horizon interfaces by using a common platform for short, medium or long term scheduling.
- Convert design data directly into schedule tasks and easily update with design changes or survey updates.
- Gantt chart based scheduling is easy to work with and is more readily understood by all stakeholders.

Superior reporting

- Simple and powerful reporting from both schedule and 3D environment improves communications and stakeholder buy-in.
- Save time communicating your plans with fast, professional plotting tools including full CAD-style annotation and presentation.

Defined constraints

- Transfer surface constraints to the seam using polyline projections.
- Create longwall subsidence zones and project them onto the topography.
- Visually assess the true impact of seam faulting and dip in a 3D environment.

Zone interrogation

- Create influence polygons around known seam structures and account for abutment zones with increasing support requirements.
- Generate effective hazard mapping with transferable effects on schedules.

Resource-based rates

- Build machine production rates with easy-to-understand formula builders with de-rating factors for, structure and faulting, gas and water, seam dip and thickness.
- Use proximity de-rating for congruent resources, such as super-panelling.

Scheduling constraints

- Create hammock tasks to stretch between moveable boundary tasks.
- Apply time variant fields to reduce scheduling rates over specific periods.



Deswik.AdvUGC

Advanced functionality tailored to the specialized demands of underground coal operations

Underground coal design toolbox

- Automates centreline creation for longwall panels and gridded roadways such as mains, gateroads and development panels.
- Generates the metadata required to process design lines into 3D reserve solids via the Deswik.IS.

Auto development designer

- Uses rule-based processing to modify design lines for irregular and special development.
- Automates standard polyline manipulation tools as well as formula-based attribute assignment.

Process tunnel as-builts

- Generate as-built solids from any combination of floor, roof or rib line survey pickups.
- Able to generate from a single rib pickup line using a nominated cut height and survey pickup height.

Process CMS

- Import CMS polylines or triangles and stitch them together to create a closed solid.
- Rapidly generate shells around CMS point cloud data.

As-built reconciliation

- Detailed reporting of reconciliation between as-built and design solids from a 3D perspective.
- Calculate overbreak and underbreak incrementally against design centrelines.

Advanced resource leveling

- Access to features such as backwards pass leveling, multi-field or sink rate targeting and time usage models.
- Short term manual scheduling via interactive resource paths or import resource paths from other packages.

Margin calculator

- Wizard based calculation of Net Present Value and incremental, cumulative and maximum cumulative margins from reserve solids.
- Import, export and run multiple scenarios against defined costs and revenues as required.


Calculate Stereonets

- Import strike azimuth and dip data to generate geotechnical Stereonets directly in the Deswik.CAD design space.
- Supports Schmidt, Wulff, Rose and observation diagrams.

Deswik.Agg

Simplifying complex aggregation processes to create fit for purpose Run-of-Mine (ROM) reserves

- Work with grids or solids to create mineable working sections at the block or deposit level.
- Auditable, rule-based approach delivers the flexibility to tailor aggregation settings to any deposit.
- Set rules for thickness, material type or quality and apply different loss and dilution factors (roof, floor or edge).
- Ensure mined horizons satisfy constraints by incorporating pre and post requisite testing.
- Manage and run multiple rule sets simultaneously for rapid scenario generation and comparison.
- Assess effect of equipment selection by defining multiple equipment types with different loss and dilution parameters.
- Transparent pivot-style reporting interface highlights factors influencing aggregated ROM tonnages between scenarios.
- Graphical side-by-side comparison shows the physical impact of different aggregation constraints.
- Generates final mined working section grids or solids with all calculated aggregation values.
- Auditable outputs are suitable for downstream planning processes such as margin ranking and production or dump scheduling.



Deswik.Blend


Optimize your product value with material flow modeling

- Material flow modeling and targeting that closes the planning gap between pit production and blended product.
- Blend production outputs from any mining complex, including both surface and underground feeds and multiple plants.
- Outputs are balanced across defined periods against the competing priorities of product quantity targets, product specifications and maximizing the value mix for multi-product scenarios.
- Integrated seamlessly within Deswik.Sched eliminating any manual transfer of data.

“A new dimension in underground coal mine planning”

An Integrated Platform

Dynamically link your mine designs and schedules



Our industry-leading consulting solutions include

Mine Planning, Design and Scheduling

Equipment Selection and Optimization

Geological Services

Technical Due Diligence, Peer Reviews and Audits

Software Implementation

Scoping, Pre-Feasibility and Feasibility

Process Mapping and Improvement

Mergers and Acquisitions Support



www.deswik.com | e: info@deswik.com

